

**RECEIVED  
CENTRAL FAX CENTER**

AUG 25 2008

I Certify that I am transmitting this document by telephone facsimile to the Commissioner for Patents at the Central Fax Number (571) 273-8300 for the US Patent and Trademark Office on August 25, 2008.

By: J. Michael Neary - Aug. 25, 2008  
J. Michael Neary Date

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Inventor(s): Eric Thompson  
Serial No.: 10/620,010  
File Date: July 15, 2003

Art Unit: 3632

Examiner:  
Steven Marsh

Title: "Toolless Locking Mount"

**TRANSMITTAL LETTER**

MS AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a Brief on Appeal in the referenced application. The fee for filing this Brief is \$255. This is the second appeal in this application. A prior fee of \$250 was paid on August 23, 2005. Attached is a credit card authorization form for the remaining \$5.00 fee.

J. Michael Neary  
Neary Law Office  
53939 Pine Grove Road  
La Pine, OR 97739  
Telephone: (253) 332-9206  
FAX: (541) 536-5925

Respectfully submitted,

J. Michael Neary  
J. Michael Neary  
Attorney for Applicants  
Reg. No. 25,453



**RECEIVED  
CENTRAL FAX CENTER**

AUG 25 2008

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**CERTIFICATE OF TRANSMISSION**

I certify that I am transmitting this document by telephone facsimile to the Commissioner for Patents at the Central Fax Number (571) 273-8300 for the U.S. Patent and Trademark on Aug. 25, 2008

  
J. Michael Neary  
Date

Inventor: Eric Thompson )  
 Serial No.: 10/620,010 ) Group Art Unit: 3632  
 Filed: July 15, 2003 ) Examiner: Steven Marsh  
 Title: "Toolless Locking Mount" )

08/26/2008 HMARZI1 00000022 10620010  
 01 FC:2402 255.00 OP

August 25, 2008

**Brief on Appeal**

Commissioner for Patents  
 PO Box 1450  
 Alexandria, VA 22313

Sir,

Applicant submits this Brief on Appeal in furtherance of his appeal from the Final Rejection of claims 12, and 14-18 dated March 24, 2008

**1) Real party in interest**

Tcom International, Inc., assignee of this Application, is the real party in interest.

**2) Related Appeals and Interferences**

Applicant knows of no related interferences or appeals that would directly affect or be directly affected by or have a bearing on the Board's decision in this pending appeal.

**3) Status of Claims**

Claims 12, and 14-18 were rejected in the Final Office Action as noted in summary fashion below. Claims 1-8 have been allowed.

Adjustment date: 08/26/2008 HMARZI1  
 08/26/2005 SHASSEN1 00000018 10620010  
 01 FC:2402 -250.00 OP

A. Claims 12 and 14-17 have been rejected under 35 USC 102(b) as anticipated by P/N 4,779,180 to Ruiz.

B. Claim 18 has been rejected under 35 USC 103(a) as unpatentable over P/N 3,049,323 to Peterka in view of P/N 5,438,868 to Holden et al.

**4) Status of Amendments**

All amendments in this application since prosecution was reopened after the last appeal brief have been entered and considered by the Examiner.

**5) Summary of the Claimed Subject Matter**

**Claim 12.** A method of releasably securing an article 8 to a supporting surface against vertical or lateral movement with respect to the supporting surface comprises inserting the article 8 into a space between four mounts 1 (page 5, lines 8-11) that are attached to said supporting surface, with four corners of the article 8 captured between inwardly diverging surfaces of an angled recess 7 in an upstanding base 1 of each mount (Fig. 2; page 4, lines 23-25) to prevent lateral movement of the article relative to the supporting surface.

After the article 8 is fully inserted between the four mounts (page 5, lines 13-15), a top cap 2 on each of the mounts is rotated from an open position (Fig. 2) to a closed position (Fig. 1) over the article 8 to capture the article between the top cap 2 and the supporting surface to prevent vertical movement of the article 8 away from the supporting surface (page 5, lines 15-18).

To remove the article from between the mounts, the resistance of a detent 4, 5, 5A (Fig. 4) that releasably holds the top cap 2 in the closed position (Fig. 1) is overcome, and the top cap of each mount is rotated from the closed position (Fig. 1) to the open position (Fig. 2) away from the article 8 to clear the angled portion 7 and allow lifting of the article from between the four mounts (page 5, lines 19-23).

The article 8 is then lifted from between the four mounts and away from the supporting surface to release the article from the supporting surface (Page 5, lines 22-23).

**6) Issues**

A. Whether the rejection of claims 12 and 14-17 under 35 USC 102(b) as anticipated by P/N 4,779,180 to Ruiz was proper.

B. Whether the rejection of claim 18 under 35 USC 103(a) as unpatentable over P/N 3,049,323 to Peterka in view of P/N 5,438,868 to Holden et al. was proper.

**7) Argument**

For simplicity of relating the summary Status of the Claims in §3 and the Statement of Issues in §6 with the related argument in this §8, the same letters used in §§3 and 6 will identify the argument sections.

**A. The rejection of claims 12 and 14-17 under 35 USC 102(b) as anticipated by P/N 4,779,180 to Ruiz was improper.**

Claim 12 calls for a method of releasably securing an article 8 to a supporting surface against vertical or lateral movement with respect to the supporting surface. The article to be captured is inserted into a space between four mounts that are attached at a bottom surface thereof to the supporting surface (page 5, lines 8-11, with four corners of the article 8 captured between inwardly diverging surfaces of an angled recess 7 in an upstanding base 1 of each mount to prevent lateral movement of the article relative 8 to the supporting surface. The inwardly diverging surfaces of the angled recesses each diverge about a central axis of the base extending between the bottom surface and a top cap 2 atop each of the bases to embrace upright corners of the article.

The top cap 2 is securely held in place releasably by a detent 4, 5, 5A (page 3, line 22) until the resisting force of a detent tending to hold the top cap 2 closed is, overcoming, and the top cap 2 is rotated to allow the object to be lifted vertically away from the supporting surface (page 4, lines 6-22).

Ruiz discloses a device for holding a circular glass cover 4 on a light fitting. It has three columns 2, arranged equidistant from each other around the periphery of a flat circular fitting plate 1 which is attached to a wall. Each column is attached to the fitting plate 1 by screws, shown in Fig. 2. Two of the columns have a sidewardly opening slot 3 facing radially inwardly for receiving the edge of the glass cover 4. The third column 2, shown in Figs. 3 and 4, has a head plate 5 that can be turned to open

the slot 3 for insertion of the glass cover 4, and then turned back to hold the cover in place.

Ruiz has a spring-loaded ball 9 in one of his columns, shown in his Figs. 3 and 4, but this is not a detent. It is merely a spring to support the edge of the glass and hold it snugly in the groove so it does not bang around in there. The spring loaded ball 9 of Ruiz does not hold the head plate 5 in either the open or closed position. Indeed, the spring loaded ball 9 does not even contact or engage the top plate 5 in any way, and does not offer a "resisting force" that must be overcome to open or close the head plate 5. Moreover, the surface in which the spring-loaded ball 9 is mounted (corresponding to the "inwardly diverging surfaces of the angled recesses" in claim 12) does not actually engage the surfaces of the object as claimed in claim 12; the balls 9 do, as shown in Fig. 3.

Thus, Ruiz does not teach these limitations in claim 12. There is no detent in Ruiz and there is no "lifting vertically away from the supporting surface" in that disclosure since that is not how Ruiz functions. Therefore, Applicant believes that amended claim 12 is patentable over the cited references.

There is no serious contention about any of these matters. The Examiner has not asserted that Ruiz discloses all the limitations of claim 12. Lacking prior art that actually discloses the invention claimed in claim 12, the Examiner has chosen to discount many critical limitations by asserting that "Claims 1 and 14-17 contain limitations to the structure of the mounts, but the limitations do not limit the method steps and therefore have no patentable significance." The Examiner thus neatly disposes of the awkward fact that the prior art does not disclose the claimed invention of claim 12.

All method claims have structural limitations. The method always operates on something in the real world. Without structural limitations, the method would be disconnected from the environment in which it is intended to operate. Sometimes the novelty of the method is in the use it makes of particular apparatus or materials, and the structural limitations give meaning to the method steps. There is no reason in logic or the law for ignoring limitations in a claim that is manifestly novel and unobvious over the prior art for mere technical matters of form. As stated in MPEP 706.03:

The primary object of examination of an application is to determine whether or not the claims are patentable over the prior art. This consideration should not be relegated to a secondary position while undue emphasis is given to nonprior art or "technical" rejections.

Claim 14 specifies that the operation of the detent is by compressing a spring 13 when pivoting the top cap 2 to allow the top cap 2 to lift slightly away from the upstanding base 1 so the top cap 2 may be rotated to its open position to allow the article to be lifted out for quick and easy removal. Ruiz has a spring 8 loading a ball 9 to engage the underside of the glass 4 to snugly hold the edge of the glass within a groove 3. Ruiz does not disclose compressing a spring when pivoting the top cap to allow the top cap to lift slightly away from the upstanding base. He does show a spring 7 around a shaft 6 to hold the top plate downwardly into contact with the support part 10, but the top plate does not lift away from the support part 10 when the top plate is rotated, as is claimed in Applicant's claim 14. Indeed, Ruiz does not disclose a detent of any kind. Applicant believes that the function of the spring 7 and the shaft 6, the function of which is described in Col. 2, lines 1-5, is entirely different from the claimed method steps and do not fall within the scope of claim 14. There is no vertical movement of the top cap contemplated by Ruiz in his description of the function of the spring 7 and shaft 6. The function is strictly to engage the underside of the glass 4 to snugly hold the edge of the glass in place in the groove. Hence, claim 14 should be patentable over Ruiz.

Claim 15, dependent on claim 12, calls for moving the inwardly diverging surfaces of the angled recess in the upstanding base of the mount into firm contact with the object. There is nothing whatsoever in Ruiz that would read on this limitation. Applicant respectfully requests that the Examiner address this issue in his Examiner's Answer so that Applicant can respond in his Reply Brief.

Claim 16, dependent on claim 15, calls for the moving step to include moving an angle piece containing the inwardly diverging surfaces of the angled recess against the object. As with claim 15, there is nothing whatsoever in Ruiz that would read on this limitation. Applicant respectfully requests that the Examiner address this issue in his Examiner's Answer so that Applicant can respond in his Reply Brief.

Claim 17, dependant on claim 16, specifies that moving the angle piece includes tightening a screw threaded in the upstanding base to apply pressure against the angle piece. As with claims 15 and 16, there is nothing whatsoever in Ruiz that would read on this limitation. Applicant respectfully requests that the Examiner address this issue in his Examiner's Answer so that Applicant can respond in his Reply Brief.

**B. The rejection of claim 18 under 35 USC 103(a) as unpatentable over P/N 4,779,180 to Ruiz in view of P/N 5,438,868 to Holden et al was Improper.**

Claim 18, dependent on claim 12, calls for the added steps of engaging the article with an elastomeric material such as polyurethane on the inwardly diverging surfaces 7 of the angled recess in the upstanding base to improve the grip of the surfaces on the article and to serve to dampen and isolate vibration between the article and the supporting surface.

Holden teaches an ultrasonic liquid level indicator for liquids within a reservoir to be administered to a patient, to ensure that the reservoir does not run dry. He has a clamp 230 with gripping elements 248 (Fig. 6) for coupling the ultrasonic transducer to the reservoir. The gripping elements 248 are made of elastomeric material such as silicone, polyurethane or rubber so they will grip glass, metal and other smooth surfaces when the clamp 230 is closed around the liquid reservoir.


The Examiner asserts that a person of ordinary skill in the art would naturally look to the medical devices art for a teaching of how to improve the grip of the Ruiz' device for holding a circular glass cover 4 on a light fitting. Applicant does not believe that Holden is analogous art with Ruiz and that even if it were, that the teachings in Holden are inapplicable to Ruiz, since the purpose of the polyurethane gripping elements are to grip the glass surfaces to hold the ultrasonic transducer against the reservoir surface. There is no requirement like that in Ruiz. Ruiz' device does not grip the glass cover at all; it merely supports it. There is no requirement for Ruiz' device to grip the glass cover and even the addition of polyurethane on the inwardly diverging surfaces of Ruiz would not "grip" the mirror; they would merely support it passively as before. Moreover, it is not clear how the ball 9 of Ruiz would interact with the polyurethane pads of Holden. These references are not remotely related. Holden

would be of no interest to a person of ordinary skill in the art working on a device like that of Ruiz. Accordingly, Applicant believes that the combination of Holden with Ruiz would not be obvious to a person of ordinary skill in the art. .

Thus, Applicant believes that the claims now pending in this Application all distinguish patentably over the cited references, singly or in combination. Applicant respectfully solicits the Board to reverse the Examiner's rejections and return this Application to him for issuance.

Respectfully submitted,

53939 Pine Grove Road  
La Pine, Oregon 97739  
voice: (253) 332-9206; fax: (541) 536-5925

  
J. Michael Neary  
Attorney for Applicant  
Reg. No. 25,453



## **8. Claims Appendix**

**1-8. Allowed**

**9-11. (Canceled)**

**12. (Previously Amended) A method of releasably securing an article to a supporting surface against vertical or lateral movement with respect to said supporting surface, comprising:**

**inserting said article into a space between four mounts that are attached at a bottom surface thereof to said supporting surface, with four corners of said article captured between inwardly diverging surfaces of an angled recess in an upstanding base of each said mount to prevent lateral movement of said article relative to said supporting surface, wherein said inwardly diverging surfaces of said angled recesses each diverge about a central axis of said base extending between said bottom surface and a top cap atop each of said bases to embrace upright corners of said article;**

**after said article is fully inserted between said four mounts, rotating said top cap on each of said mounts from an open position to a closed position over said article to capture said article between said top cap and said supporting surface to prevent vertical movement of said article away from said supporting surface;**

**overcoming resistance of a detent that releasably holds said top cap in said closed position, and rotating said top cap of each mount from said closed position to said open position away from said article to clear said angled portion and allow lifting of said article from between said four mounts; and**

**lifting said article from between said four mounts and away from said supporting surface to release said article from said supporting surface.**

**13. (Canceled)**

**14. (Previously Amended) A method as defined in claim 12, further comprising:  
said step of overcoming resistance of a detent includes compressing a spring when pivoting said top cap to allow said top cap to lift slightly away from said**

upstanding base so said top cap may be rotated to said open position to allow said article to be lifted out for quick and easy removal.

15. (Previously Amended) A method as defined in claim 12, further comprising:  
moving said diverging surfaces of said upstanding base into firm contact with  
said article.
16. (Previously Added) A method as defined in claim 15, wherein:  
said moving step includes moving an angle piece containing said inwardly  
diverging surfaces of said angled recess against said object.
17. (Previously Added) A method as defined in claim 16, wherein:  
moving an angle piece includes tightening a screw threaded in said upstanding  
base to apply pressure against said angle piece.
18. (Previously Added) A method as defined in claim 12, further comprising:  
engaging said article with an elastomeric material such as polyurethane on said  
inwardly diverging surfaces of said angled recess in said upstanding base to improve  
the grip of said surfaces on said article and to serve to dampen and isolate vibration  
between said article and said supporting surface.

**9. Evidence Appendix**

No evidence was submitted pursuant to §§1.130, 1.131 or 1.132 of 37 CFR, nor was any evidence entered by the Examiner and relied upon by Applicant.

**10. Related Proceedings Appendix**

Applicant knows of no related interferences or appeals that would directly affect or be directly affected by or have a bearing on the Board's decision in this pending appeal, therefore no decisions in any such related interferences or appeals have been rendered and none are submitted herewith.